

Nylon Flexible Cable Glands In PG Threads

- **Sealing** : Thermoplastic anti slip rubber (TPR)
- **Temperature range** : Static -10°C to +80°C, Dynamic -30°C to +120°C
- **Ingress protection** : IP 67 without oring & IP 68 with oring
- **Colors** : Silver grey RAL 7001, Light grey RAL 7035 & black RAL 9005
- **Certification/Standards** : RoHS/REACH compliant / CE / DIN 46230
- **Abbreviation** : L = Long thread TC = Twin cable BC= Big cap

Flucon also provides fire resistance cable glands FR UL 94 V0 (960 Glowire) made to order MOQ applicable.




Part Code	Part Description	Cable Range			Dimensions		Packing (Pcs)		MRP Per PC Regular	MRP Per PC FR V2
		Min	Max		B	Ø C	Inner Carton	Master Carton	Rs.	Rs.
		mm	mm	mm	mm	mm				
FCFGFCG0003	FCPG-7	3.5	6.5	15	9.00	12.00	100	2000	13.00	17.00
FCFGFCG0010	FCPG-9	5.5	8.0	18	10.00	15.20	100	2000	17.00	23.00
FCFGFCG0017	FCPG-11	7.0	10.0	22	10.00	18.30	100	1000	20.00	27.00
FCFGFCG0023	FCPG-13.5	8.0	12.0	24	10.00	20.00	25	500	21.00	28.00
FCFGFCG0033	FCPG-16	10.0	14.0	27	10.00	22.50	25	500	29.00	39.00
FCFGFCG0138	FCPG-19	12.0	15.0	27	10.00	23.60	25	500	31.00	42.00
FCFGFCG0040	FCPG-21	14.0	18.0	33	11.00	28.50	25	500	39.00	52.00
FCFGFCG0046	FCPG-29	19.0	25.0	42	12.00	36.70	25	250	60.00	81.00
FCFGFCG0051	FCPG-36	25.0	32.0	54	13.00	47.00	10	100	105.00	142.00
FCFGFCG0056	FCPG-42	32.0	38.0	59	21.00	53.00	5	50	140.00	189.00
FCFGFCG0061	FCPG-48	38.0	42.0	65	21.00	59.00	5	50	160.00	216.00
FCFGFCG0067	FCPG-63	40.0	50.0	74	29.00	70.00	4	40	220.00	279.00



CE Certified Nylon Flexible Cable Glands In MM Threads

- Manufactured as per EN62444-2013 cable glands for electrical installations
- **Body:** Nylon 6
- **Sealing:** Thermoplastic
- **Temperature range:** Dynamic -10 °C to +80 °C Static -30 °C to +120 °C
- **Ingress protection** : IP 67 without oring & IP 68 with oring
- **Colors** : Silver grey RAL 7001, light grey RAL 7035 & black RAL 9005
- **Certification/Standards** : RoHS/REACH compliant / CE / EN62444-2013
- **Type tested from NABL accredited body**




Part Code	Part Description	Cable Range		Dimensions			Packing (Pcs)		MRP Per Pcs Regular	MRP Per Pcs FR V2
		Min	Max		B	Ø C	Inner Carton	Master Carton	Rs.	Rs.
FCFGFCG0072	FCM12X1.5	3.5	6.5	15	9.00	12.00	100	2000	13.00	18.00
FCFGFCG0079	FCM16X1.5	7	10	22	10	16.00	100	2000	17.00	23.00
FCFGFCG0088	FCM20X1.5	8.0	12.0	24	9.00	20.00	25	500	21.00	28.00
FCFGFCG0107	FCM25X1.5	10.0	14.0	27	10.00	25.00	25	500	28.00	37.00
FCFGFCG0115	FCM32X1.5	14.0	18.0	37	10.00	32.00	25	500	44.00	60.00
FCFGFCG0124	FCM40X1.5	14.0	25.0	45	10.00	40.00	10	250	82.00	111.00
FCFGFCG0129	FCM50X1.5	19.0	32.0	54	12.50	50.00	5	50	106.00	142.00

Nylon Flexible Cable Glands In Long Threads.

- Flucon long thread cable glands are designed to be compatible to ABS enclosures, limit switches and enclosures where the thickness of wall is more than 3mm.

Part Code	Part Description	Cable Range			Dimensions		Packing (Pcs)		MRP Per PC Regular	MRP Per Pcs FR V2
		Min	Max		B	Ø C	Inner Carton	Master Carton	Rs.	Rs.
FCFGFCG0222	FCPG-7 L	3.5	6.5	15	13.00	12.00	100	2000	16.00	22.00
FCFGFCG0223	FCPG-9 L	5.5	8.0	18	13.00	15.20	100	2000	20.00	27.00
FCFGFCG0224	FCPG-11 L	7.0	10.0	22	13.00	18.30	100	1000	24.00	33.00
FCFGFCG0024	FCPG-13.5 L	8.0	12.0	24	13.00	20.00	25	500	24.00	33.00
FCFGFCG0034	FCPG-16 L	10.0	14.0	27	15.00	22.50	25	500	33.00	45.00
FCFGFCG0225	FCM12X1.5 L	3.5	6.5	15	13.00	12.00	100	2000	16.00	22.00
FCFGFCG0079	FCM16X1.5 L	5.5	8.0	18	13.00	16.00	100	2000	20.00	27.00
FCFGFCG0088	FCM20X1.5 L	8.0	12.0	24	13.00	20.00	25	500	24.00	33.00
FCFGFCG0107	FCM25X1.5 L	10.0	14.0	27	15.00	25.00	25	500	33.00	45.00



- Flucon NPT threaded and special requirement glands

Part Code	Part Description	Cable Range			Dimensions		Packing (Pcs)		MRP Per PC Regular	MRP Per Pcs FR V2
		Min	Max		B	Ø C	Inner Carton	Master Carton	Rs.	Rs.
FCFGFCG0130	FCNPT-1/2"	7.0	12.0	24	14.00	21.00	25	500	24.00	32.00
FCFGFCG0136	FCNPT- 3/4"	13.0	18.0	35	14.00	26.70	25	500	35.00	48.00
FCFGFCG0097	FCM20X1.5 TC	8.0	12.0	27	14.00	20.00	25	500	52.00	70.00
FCFGFCG0105	FCM25X1.5 BC	14.0	18.0	34	14.50	25.00	25	500	41.00	55.00
FCFGFCG0229	FCM16X1.5/PG-11	7.0	10.0	22	10.00	18.30	100	500	24.00	32.00




Brass Flexible Cable Glands in Metric & PG Threads

- **Body** : Brass tin plated, inner body nylon
- **Sealing** : Anti slip TPR
- **Colors available** : Silver
- **Ingress protection** : IP - 68 with rubber 'O' ring

Brass flexible cable glands in metric & PG Threads are used to fasten and secure the entry of cable in control panels and equipments to prevent the cable from moving freely and also provide's adequate ingress protection to the equipments.

Brass cable glands are also used where earthing and EMC protection is necessary.



Part Code	Part Description	Threading Type	Cable Range			B	ØC	Packing	MRP Per
			Min	Max				Per Pkt	Pcs
			mm	mm			mm	Pcs	Rs.
FCFGBCG001	FCBCG-PG7 BRASS GLAND	PG-7	3.5	6.5	14.02	6.5	12.48	50	125.00
FCFGBCG002	FCBCG-PG9 BRASS GLAND	PG-9	5.5	8.0	17.00	8.0	14.85	50	162.00
FCFGBCG003	FCBCG-PG11 BRASS GLAND	PG-11	7.0	10.0	20.00	10.0	18.30	50	225.00
FCFGBCG004	FCBCG-PG13.5 BRASS GLAND	PG-13.5	8.0	12.0	22.00	12.0	20.00	50	257.50
FCFGBCG005	FCBCG-PG16 BRASS GLAND	PG-16	10.0	14.0	24.00	14.0	22.50	25	285.00
FCFGBCG006	FCBCG-PG21 BRASS GLAND	PG-21	15.0	19.0	30.00	19.0	28.00	25	440.00
FCFGBCG007	FCBCG-PG29 BRASS GLAND	PG-29	19.0	25.0	40.00	25.0	36.70	25	832.50
FCFGBCG008	FCBCG-PG36 BRASS GLAND	PG-36	25.0	32.0	50.00	32.0	46.80	25	1210.00
FCFGBCG019	FCBCG-PG42 BRASS GLAND	PG-42	32.0	38.0	57.00	38.0	50.00	5	1705.00
FCFGBCG009	FCBCG-PG48 BRASS GLAND	PG-48	38.0	42.0	64.00	42.0	60.00	5	2352.00
FCFGBCG012	FCBCG-M12X1.5 BRASS GLAND	M-12x1.5	3.5	6.5	14.0	6.5	11.55	100	132.50
FCFGBCG013	FCBCG-M16X1.5 BRASS GLAND	M-16x1.5	5.5	8.0	18.00	8.0	15.58	100	220.00
FCFGBCG014	FCBCG-M20X1.5 BRASS GLAND	M-20x1.5	8.0	12.0	22.00	12.0	19.74	100	290.00
FCFGBCG015	FCBCG-M25X1.5 BRASS GLAND	M-25x1.5	10.0	14.0	27.00	14.0	24.62	100	435.00
FCFGBCG016	FCBCG-M32X1.5 BRASS GLAND	M-32x1.5	14.0	18.0	34.50	18.0	31.48	100	655.00
FCFGBCG017	FCBCG-M40X1.5 BRASS GLAND	M-40x1.5	14.0	25.0	43.00	25.0	39.67	100	1170.00
FCFGBCG018	FCBCG-M50X1.5 BRASS GLAND	M-50x1.5	19.0	32.0	55.00	32.0	49.53	100	2007.50