

Direct Current Tape Clip For Bare & Insulated Copper Tape


- Raw material : Polyamide 6
- Color : Ral grey 7001

DC tape clips are used for indoor and outdoor applications for fastening the earthing tapes to various surfaces.


Part Code	Part Description	Conductor Tape Size	ID	Height	Carton Packing	MRP Per Pcs.
		Thickness x Width mm	W1 mm	W2 mm		Rs.
FCFGDTC0002	FCDTC-01	25 x 3	27.00	3.50	1000	50.00
FCFGDTC0006	FCDTC-02	30 x 6	30.50	6.50	1000	50.00
FCFGDTC0009	FCDTC-03	20 x 3	22.00	3.50	1000	50.00
FCFGDTC0011	FCDTC-04	30 x 4	30.50	6.50	1000	50.00

Direct Current Tape Clip Round Base


- Application : DC Tape clip base for fixing outdoor earthing on glass panels
- Raw material : Base PVC / Screw & nut SS 304
- Type : Bare & with 3m VHB self adhesive tape
- Suitability : All size of DC tape clip



M6X12 CSK SCREW



SS NUT



Part Code	Part Description	Size In mm	Carton Packing	MRP Per Pcs.
				Rs.
FCSFGDTC0024	PVC Round Base Dia 85.51	Ø 85.51	1000	60.00
FCFGDTC0022	3M VBH Tape Dia 85.51	Ø 85.51	1000	185.00
FCRMHW0064	M6 X 12 SS 304 CSK Slotted Screw	M6	1000	24.00
FCRMHW0063	M6 Base Nut SS 304	M6	1000	32.00

Earthing and Lightning protection holders in UV for outdoor applications

Pipe clamps, DC tape clips, 10 & 8 mm conductor holders for parapet and roof toops and slats.

Part code : FCFGBCA00005


Part description: 25mm Pipe Holder

Raw materials: Nylon 6 UV protected/ Screws SS A2-70

Temperature range: - 40 to + 120 °C Colour: Grey 7001

Packing : 100Nos INR Per Piece : Rs. 125.00

Excellent resistance to abrasion, UV and outdoor expo



Part code : FCFGBCA00016

Part description: 8mm-10mm Earthing Wire Holder/ 25x3mm-6mm Earthing Tape Holder

Raw materials: Nylon 6 UV protected/ Screws SS A2-70

Temperature range: - 40 to + 120 °C Colour: Grey 7001

Packing : 100Nos INR Per Piece : Rs. 125.00

Excellent resistance to abrasion, UV and outdoor exposure



Part code : FCFGBCA00004


Part description: Square type single mount height 10mm suitable wire size 8mm-10mm

Raw materials: Nylon 6 UV protected

Temperature range: - 40 to + 120 °C Colour: Grey 7001

Packing : 100Nos INR Per Piece : Rs. 46.87

Excellent resistance to abrasion, UV and outdoor exposure





Part code : FCFGBCA00005

Part description: Round type single mount height 10 mm suitable conductor size 8mm-10mm



Raw materials: Nylon 6 UV protected

Temperature range: - 40 °C to + 120 °C

Colour: Grey 7001

Packing 100Nos **INR Per Piece : Rs. 51.00**

Excellent resistance to abrasion, UV and outdoor exposure



Part code : FCFGBCA00017

Part description: Round type 25MM dia height 30mm conductor size 8mm-10mm


Raw materials: Nylon 6 UV protected

Temperature range: - 40 °C to + 120 °C

Colour: Grey 7001

Packing 100Nos **INR Per Piece : Rs. 56.25**

Excellent resistance to abrasion, UV and outdoor exposure



Part code : FCFGBCA00006

Part description: Concrete filled earth conductor support for flat roof lightning mesh, conductor size 8mm-10mm



Raw materials: PP UV protected

Temperature range: - 40 °C to + 80 °C

Colour: Black Ral 9005

Packing 100Nos **INR Per Piece : Rs. 453.12**

Excellent resistance to abrasion, UV and outdoor exposure



Part code : FCFGBCA00011

Part description: Round type earth push down base holder conductor size 8mm-10mm


Raw materials: Nylon 6 UV protected/ABS push down rod and holder

Temperature range: - 40 °C to + 800 °C

Colour: Grey 7001

Packing 100Nos **INR Per Piece : Rs. 165.00**

Excellent resistance to abrasion, UV and outdoor exposure



Part code : FCFGBCA00010

Part description: Square type glue down base holder conductor size 8mm-10mm


Raw materials: Nylon 6 UV protected/ Screw SS A2-70

Temperature range: - 40 °C to + 120 °C

Colour: Grey 7001

Packing 100Nos **INR Per Piece : Rs. 115.00**

Excellent resistance to abrasion, UV and outdoor exposure



Part code : FCFGBCA00011

Part description: Round type earth push down base holder wire size 8mm-10mm

Raw materials: Nylon 6 UV protected/ABS push down rod and holder

Temperature range: - 40 °C to + 800 °C

Colour: Grey 7001

Packing 100Nos **INR Per Piece : Rs. 165.00**

Excellent resistance to abrasion, UV and outdoor exposure

