


Hex Locknut in Metric & PG Threads



- Raw material : Polyamide 6
- Colors Available : Silver grey RAL 7001, light grey RAL 7035, black RAL 9005
- Ingress protection : IP - 54
- Compatible with : FLUCON cable glands & blanking plugs

Also available in UL approved fire resistance , UV and polyamide 6.6 materials made to order.




Part Code	Part Description	A	B		Packing Per Pac	MRP Per Pkt
		mm	mm	mm	Pcs	Rs.
FCFGNLN0029	FCLN-PG7	5.98	18.30	17	100	345.00
FCFGNLN0032	FCLN-PG9	5.50	21.44	20	100	425.00
FCFGNLN0002	FCLN-PG11	5.50	24.31	22	100	430.00
FCFGNLN0005	FCLN-PG13.5	6.00	30.00	27	100	550.00
FCFGNLN0008	FCLN-PG16	6.00	33.50	31	100	600.00
FCFGNLN0011	FCLN-PG21	7.00	39.00	36	100	800.00
FCFGNLN0014	FCLN-PG29	6.60	49.82	47	100	1160.00
FCFGNLN0017	FCLN-PG36	7.75	66.50	60	100	1800.00
FCFGNLN0020	FCLN-PG42	8.20	66.00	61	100	2000.00
FCFGNLN0023	FCLN-PG48	9.00	78.66	71	100	2700.00
FCFGNLN0026	FCLN-PG63	9.13	81.12	82	100	3000.00
FCFGNLN0035	FCLN-M12X1.5	5.98	18.30	16	100	350.00
FCFGNLN0038	FCLN-M16X1.5	5.50	21.40	20	100	415.00
FCFGNLN0041	FCLN-M20X1.5	6.00	30.00	27	100	550.00
FCFGNLN0044	FCLN-M25X1.5	6.00	33.50	32	100	590.00
FCFGNLN0047	FCLN-M32X1.5	7.00	39.00	37	100	800.00
FCFGNLN0050	FCLN-M40X1.5	6.80	53.40	50	100	1350.00
FCFGNLN0053	FCLN-M50X1.5	8.00	58.00	60	100	2200.00
FCFGNLN0055	FCLN-M63X1.5	9.50	78.00	71	100	3000.00



Brass Hex Locknut in Metric & PG Threads

- **Raw material** : Brass nickle plated
- **Colors available** : Silver
- **Ingress protection** : IP - 67 with suitable glands or blanking plugs
- **Compatibility** : Flucon conduit glands, blanking plugs, brass flexible glands



PG Threads

Part Code	Part Description	Dimensions			Packing Per Pkt	MRP Per Pcs
		A	B			
		mm	mm	mm	Pcs	Rs.
FCFGBLN001	FCPG-7 BRASS NUT NICKLE PLATED	2.8	16.6	15	100	16.00
FCFGBLN002	FCPG-9 BRASS NUT NICKLE PLATED	2.8	20.0	18	100	18.00
FCFGBLN018	FCPG-11 BRASS NUT NICKLE PLATED	3.0	23.5	21	100	21.42
FCFGBLN003	FCPG-13.5 BRASS NUT NICKLE PLATED	3.0	25.5	23	100	24.76
FCFGBLN017	FCPG-16 BRASS NUT NICKLE PLATED	3.0	29.0	26	100	32.76
FCFGBLN004	FCPG-21 BRASS NUT NICKLE PLATED	3.5	35.0	32	100	49.33
FCFGBLN005	FCPG-29 BRASS NUT NICKLE PLATED	4.0	45.0	41	100	79.77
FCFGBLN006	FCPG-36 BRASS NUT NICKLE PLATED	5.0	56.0	51	100	123.91
FCFGBLN007	FCPG-42 BRASS NUT NICKLE PLATED	5.0	65.0	60	100	249.75
FCFGBLN008	FCPG-48 BRASS NUT NICKLE PLATED	5.5	69.0	64	100	338.88
FCFGBLN009	FCPG-63 BRASS NUT NICKLE PLATED	5.5	78.0	70	100	446.70

Metric Threads

Part Code	Part Description	Dimensions			Packing Per Carton	MRP Per Pcs
		A	B			
		mm	mm	mm	Pcs	Rs.
FCFGBLN010	FCM12X1.5 BRASS NUT NICKLE PLATED	3.0	16.5	15	100	16.00
FCFGBLN011	FCM16X1.5 BRASS NUT NICKLE PLATED	3.0	20.8	19	100	23.31
FCFGBLN012	FCM20X1.5 BRASS NUT NICKLE PLATED	3.5	26.0	24	100	29.57
FCFGBLN013	FCM25X1.5 BRASS NUT NICKLE PLATED	3.5	33.0	30	100	53.27
FCFGBLN014	FCM32X1.5 BRASS NUT NICKLE PLATED	4.5	40.0	36	100	63.55
FCFGBLN015	FCM40X1.5 BRASS NUT NICKLE PLATED	4.5	51.0	46	100	137.45
FCFGBLN016	FCM50X1.5 BRASS NUT NICKLE PLATED	5.5	60.0	55	100	183.88
FCFGBLN019	FCM63X1.5 BRASS NUT NICKLE PLATED	5.5	60.0	55	100	444.93

O-ring & Flat Washers for Metric & PG Threaded Glands & Blanking Plugs

- Raw material : Anti slip TPR.
- Colors available : Black Ral 9005

Orings and flat washers are used for additional IP protection.

An O-ring, also known as a packing or a toric joint, is a mechanical gasket in the shape of a torus. It's a loop of elastomer with a round cross-section, designed to be seated in a groove and compressed during assembly between two or more parts, forming a seal at the interface.



Part Code	Part Description	Size in MM	Packing Per Pkt	MRP Per Pcs.
		IDxODxT	Pcs	Rs.
FCSFGRUB014	FCOR-7 & M12X1.5 RUBBER ORING	10.0X14.0X2.0	100	4.06
FCSFGRUB067	FCOR-9 & M16X1.5 RUBBER ORING	13.6X17.6X2.0	100	4.68
FCSFGRUB015	FCOR-11 RUBBER ORING	17.0X21.0X2.0	100	4.68
FCSFGRUB066	FCOR-13.5 & M20X1.5 RUBBER ORING	18.0X22.0X2.0	100	6.25
FCSFGRUB016	FCOR-16 RUBBER ORING	21.0X25.0X2.0	100	6.25
FCSFGRUB017	FCOR-21 RUBBER ORING	26.0X31.0X2.5	100	8.50
FCSFGRUB018	FCOR-29 & M40X1.5 RUBBER ORING	35.0X40.0X2.5	100	9.37
FCSFGRUB019	FCOR-36 RUBBER ORING	45.0X50.0X2.5	100	12.50
FCSFGRUB020	FCOR-42 RUBBER ORING	51.0X56.0X2.5	100	18.75
FCSFGRUB068	FCOR-48 RUBBER ORING	57.0X62.0X2.5	100	25.00
FCSFGRUB021	FCOR-63 RUBBER ORING	68.0X73.0X2.5	100	37.50
FCSFGRUB022	FCOR-M25X1.5 RUBBER ORING	23.0X27.0X1.5	100	7.81
FCSFGRUB023	FCOR-M32X1.5 RUBBER ORING	30.0X35.0X2.5	100	10.62
FCSFGRUB024	FCOR-M50X1.5 RUBBER ORING	48.0X53.0X2.5	100	12.50
FCSFGRW0069	FCOR-M63X1.5 RUBBER ORING	62.0X64.0X2.5	100	37.50



Flat washers

- **Raw material :** TPR Anti slip
- **Color :** Black Ral 9005
- **Types :** Flat
- **IP Protection:** IP 68 with suitable glands



Orings and Flat washers are used for additional IP Protection and provide adequate sealing between the glands and the apparatus to protect the equipment from dust and water contamination.

Part Code	Part Description	Size in MM	Packing Per Pkt	MRP Per Pcs.
		IDxODxT	Pcs	Rs.
FCSFGRUB058	FCNW PG-7/M12 & FCQCP-M12 FLAT WASHER	11.5x19.0x2.0	100	2.25
FCSFGRUB037	FCNW PG-9/M16 & FCQCP-16 FLAT WASHER	16.0x26.0x2.0	100	6.25
FCSFGRUB038	FCNW PG-11 FLAT WASHER	18.5x25.6x2.0	100	7.81
FCSFGRUB039	FCNW PG-13.5/M20 & FCQCP-20 FLAT WASHER	21.2x33.8x2.0	100	9.37
FCSFGRUB040	FCNW PG-16 FLAT WASHER	22.0x34.0x2.0	100	9.37
FCSFGRUB041	FCNW PG-21 FLAT WASHER	28.0x41.4x2.0	100	10.93
FCSFGRUB042	FCNW PG-29 FLAT WASHER	36.4x49.4x2.0	100	12.60
FCSFGRUB043	FCNW PG-36 FLAT WASHER	46.4x57.1x2.0	100	14.06
FCSFGRUB044	FCNW PG-48 FLAT WASHER	58x69.8.0x2.0	100	15.62
FCSFGRUB045	FCNW M25X1.5 & FCQCP-25 FLAT WASHER	24.5x41.8x2.0	100	7.81
FCSFGRUB046	FCNW M32 & FCQCP-32 FLAT WASHER	32.0x41.5x2.0	100	9.37
FCSFGRUB047	FCNW M40 & FCQCP-40 FLAT WASHER	40.1x50.0x2.0	100	10.93
FCSFGRUB048	FCNW M50 & FCQCP-50 FLAT WASHER	50.2x58.2x2.0	100	14.06
FCSFGRUB049	FCNW M63 & FCQCP-63 FLAT WASHER	61.0x68.1x2.0	100	15.62