

Dylo-Grip Plastic Expansion Plugs (Rawal Plugs)


- **Testing - PULL LOAD** Suitable for use in Brick, Block & Concrete
- **Material** : Grey in reprocess HDPE, Natural In Virgin HDPE
- Dylo-Grip Plastic Expansion Plugs (Rawal Plugs) are made from HDPE polymer and are designed to expand and grip in the substrate medium without slippage. Can be used for securing all types of light fixtures, aluminum sliding windows and partitions, canopy fixing, false ceiling, bird netting installation's etc.
- Dylo-Grip anchors have large fins that prevent rotation. They reinforce the hole and resist stripping. To install, drill a hole slightly deeper than the length of the anchor and insert the anchor until it's flush with the surface. Next, thread a sheet metal or wood screw through your fixture and into the anchor. To determine screw length, add the anchor length to the fixture thickness and choose a screw longer than it. Pull-out strength values are 25% of the ultimate values.

Part Code	Part Description	Drill Size			Screw Size In Gauge	Pull Out strength	Screw Shank hole size	Quantity Per Pkt.	MRP Per. Pkt.
		length	mm	Inch					
FCFGDG0001	FCDG-8X25	25	4.7	3/16"	6,8	120	3.571/3.968	100	38.00
FCFGDG0005	FCDG-10X30	30	6.3	1/4"	8,10	160	3.968/4.2	100	48.00
FCFGDG0011	FCDG-10X35	35	6.3	1/4"	8,10	160	3.968/4.2	100	53.00
FCFGDG0015	FCDG-10X38	38	6.3	1/4"	8,10	180	3.968/4.2	100	56.00
FCFGDG0019	FCDG-10X45	45	6.3	1/4"	8,10	180	3.968/4.2	100	91.00
FCFGDG0023	FCDG-12X40	40	7.9	5/16"	12	220	5.5	100	146.00
FCFGDG0027	FCDG-18X50	50	9.5	3/8"	18	250	7.5	100	300.00
FCFGDG0031	FCDG-24X80	80	12.7	1/2"	24	310	9.4	100	600.00
FCFGDG0003	FCGT-8X25	25	4.7	3/16"	6,8	120	3.571/3.968	100	51.50
FCFGDG0009	FCGT-10X30	30	6.3	1/4"	8,10	160	3.968/4.2	100	80.00
FCFGDG0014	FCGT-10X35	35	6.3	1/4"	8,10	160	3.968/4.2	100	85.75
FCFGDG0017	FCGT-10X38	38	6.3	1/4"	8,10	180	3.968/4.2	100	95.00
FCFGDG0021	FCGT-10X45	45	6.3	1/4"	8,10	180	3.968/4.2	100	108.00
FCFGDG0025	FCGT-12X40	40	7.9	5/16"	12	220	5.5	100	174.00
FCFGDG0029	FCGT-18X50	50	9.5	3/8"	18	250	7.5	100	359.00
FCFGDG0033	FCGT-24X80	80	12.7	1/2"	24	310	9.4	100	775.00

Dylo-Grip MFS Plastic Expansion Plugs (Rawal Plugs)

- **Testing** - PULL LOAD
- **Material** : Polyamide 6 (Nylon)

Dylo-Grip plastic expansion plugs (Rawal Plugs) are made from HDPE polymer and are designed to expand and grip in the substrate medium without slippage. Can be used for securing all types of light fixtures, aluminum sliding windows and partitions, canopy fixing, false ceiling, bird netting installation's etc.



Part Code	Part Description	Drill Size			Screw Size In Gauge	Pull Out Strength	Screw Shank hole size	Packing Per Pac	MRP Per Pcs.
		length	mm	Inch					
FCFGDG0036	FCMFS -6	25	4.7	3/16"	6,8	180	3.571/3.968	100	75.50
FCFGDG0037	FCMFS-8	30	6.3	1/4"	8,10	220	3.968/4.2	100	101.50
FCFGDG0038	FCMFS-10	50	9.5	3/8"	18	310	7.5	100	380.50


Dylo-Grip Nylon Anchor

- **Colour:** Red
- **Testing:** pull Load
- **Material:** Polyamide 6 (Nylon)

Fire resistant materials can be made to order prices subject to availability and MOQ.

Dylo-Grip nylon anchor fasteners are an easy and secure way of fastening heavy loads permanently like fixing door frames, dish antennae, plumbing accessories, etc.

Screws provided are with carbon steel torx head screw, MS phillipshead screw



Part Code	Part Description	Drill Size			Screw Size In Gauge	Screw Shank hole size	Quantity Per Pkt.	MRP Per. Pkt.
		length	mm	Inch				Rs.
FCFGDG0049	FCNA-8X60	60	7.9	5/16"	12	5.5	100	448.00
FCFGDG0068	FCNA-8X80	80	7.9	5/16"	12	5.5	100	700.00
FCFGDG0066	FCNA-8X100	100	7.9	5/16"	12	5.5	100	788.00
FCFGDG0065	FCNA-8X120	120	7.9	5/16"	12	5.5	100	915.00
FCFGDG0067	FCNA-8X140	140	7.9	5/16"	12	5.5	100	1100.00
FCFGDG0069	FCNA-10X80	80	9.5	3/8"	16	6.5	100	1020.00
FCFGDG0057	FCNA-10X100	100	9.5	3/8"	16	6.5	100	1100.00
FCFGDG0058	FCNA-10X120	120	9.5	3/8"	16	6.5	100	1440.00
FCFGDG0059	FCNA-10X140	140	9.5	3/8"	16	6.5	100	1652.00
FCFGDG0070	FCNA-10X160	160	9.5	3/8"	16	6.5	100	1890.00